

# Cobra-C-150

Owners Manual

## Specification:

- Designed for cleaning ceramic tile and grout with your truckmount or high pressure portable.
- Brush attachment is a detailing tool.
- Lightweight but solid, resistant to impact.
- Fiber reinforced shell.
- Operating pressure up to 2150 psi.
- Water temp. up to 200°



**TURBO**  
**FORCE**  
INTERNATIONAL

John 14:6

[turbo-force.com](http://turbo-force.com)

7905 N. 71st Ave. Glendale, AZ 85303

## Limitation of Liability

Turbo Force International's (T.F.I.) liability on any claim for loss or damage connected with the supplying of goods, or their sale, resale, operation, or use, warranty, tort (including negligence) or other grounds, shall not exceed the price allowable to such goods or part thereof involved in any claim.

T.F.I shall not under any circumstances be liable for any labor charges, special or consequential damages including, but not limited to, bodily injury, loss of profits or revenues, loss of use of any product or associated product, cost of capital, cost of substitute products, facilities or services, downtime costs or costs of claims arising from Buyer or Buyer's customers.

Any technical advice or assistance furnished by Turbo Force International which concerns any goods supplied here under, will not subject T.F.I to any liability, whether based on contract, warranty tort (including negligence) or other grounds.

## Warranty:

Turbo-Force International warrants that its product(s) (the Product) shall be free from defects in materials and workmanship under normal use, installation and maintenance in accordance with T.F.I. specifications for a period of 1 year from the date of purchase. If any failure to conform to this warranty is reported to T.F.I. within 1 year from the date of purchase by the original buyer, T.F.I., upon being satisfied of the existence of such non-conformity, will, with exclusions (wear and tear) etc., correct same at its discretion by repairing or replacing the Product.

## Exclusions:

The brush insert is covered from breakage or defect for 90 days; there is no warranty against wear. High pressure lines and fittings are not covered by this warranty. This warranty does not cover damage resulting from mishandling in transit, vandalism, misuse, abuse, neglect, alteration, dismantling, acts of God or failure to exercise reasonable care in using or maintaining the product. This warranty applies only to the original purchaser / owner of the Product. To validate this warranty a copy of the original sales invoice must be sent with repair item and registration card must be on file with TFI. To obtain service under this warranty.

Call the dealer where you purchased this tool or call TFI at 1-800-353-6382. This warranty is in lieu of and excludes all other warranties, express or implied, arising by operation of law or otherwise, including any warranty of merchantability or fitness for particular purpose or otherwise, and no representation of warranty, expressed or implied, made by any sales representative or other agent of TFI. In no event shall TFI be liable for incidental or consequential damages. This warranty gives you specific legal rights which may vary from state to state.



# Cobra-C-150

Owners Manual

## Replacement Parts




It is recommended that you use an inline filter to prevent Jet clogging. Order parts:




Male Quick Connect  
#NA-010



Reduce Nipple  
#BR-3320



Valve  
#R-G10




Valve Trigger



Machine Screws  
#CR-100



Spray-jet Adapter  
#CR-205



Spray-jet Nozzle  
#JET-0502



[turbo-force.com](http://turbo-force.com)

7905 N. 71st Ave. Glendale, AZ 85303